TABLE OF CONTENTS

LIST OF TABLES	T-6
LIST OF FIGURES	T-9
EXECUTIVE SUMMARY	
INTRODUCTION	S-1
HYDROLOGY	
GEOMORPHOLOGY	
History of Fluvial Morphology	
Geomorphological Reach Description	
Channel Geometry	
Cobble Bar Characterization	
LOW VELOCITY HABITAT MAINTENANCE	
SUSPENDED SEDIMENT ANALYSIS	
HABITAT	
CHAPTER 1: INTRODUCTION	
SAN JUAN RIVER STUDY AREA DESCRIPTION	1-2
HISTORICAL SETTING	
CHAPTER 2: HYDROLOGY	
BACKGROUND	
Pre-Navajo Dam (1929 to 1961)	
Post-Dam Period (1962 to 1991)	
OBJECTIVES	
METHODS	
RESULTS	2-6
Storm Influence	0.40
Water Temperature	
CONCLUSIONS	
CONCEUSIONS	. 2-10
CHAPTER 3: GEOMORPHOLOGY	
BACKGROUND	3_1
OBJECTIVES	
Historical Analysis of Fluvial Morphology	
Geomorphological Characterization	
Channel Geometry Analysis	
• •	

	Cobble Substrate Characterization	. 3-3
	Suspended Sediment Analysis	. 3-4
METH	IODS	. 3-4
	Historic Analysis of Fluvial Morphology	. 3-4
	Geomorphological Characterization	. 3-4
	River Valley Geometry	. 3-6
	Channel Contact Geology	. 3-6
	Riparian Vegetation	. 3-6
	Channel Gradient	. 3-8
	Channel Pattern	. 3-8
	Tributary Influence	
	Man's Influence	
	Aquatic Habitat	
	Identify River Reach	. 3-9
	Channel Geometry Analysis	3-12
	Cross-Section Measurement in Representative River	
	Transects	
	Channel Response to Flows at USGS Gage Locations	
	Flow Modification Impact on Channel Complexity	
	Bankfull Channel Capacity	
	Cobble Bar Characterization	
	Characterization of Bed Material in Suspected and Potential Spawning	
	Bars	
	Depth of Open Interstitial Space in Cobble Bars	
	Topographic Changes in Cobble Bars	
	Cobble Transport Analysis	
	Low Velocity Habitat Creation and Maintenance	
	Suspended Sediment Analysis	
	Sediment Sampling	
	Sediment Transport Analysis	
RESU	ILTS	
	Historic Analysis of Fluvial Morphology	
	Geomorphological Characterization	
	River Valley Geometry	
	Channel Contact Geology	
	Riparian Vegetation	
	Channel Gradient	
	Channel Pattern	
	Other Parameters	
	Identify River Reaches	
	River Geometry Analysis	
	Cross Section Measurement for RT Series Transects	
	Cross Section Measurement for Mixer Transects	
	Cross Section Measurement for Debris Field Transects	
	Cross Section Measurement for Clay Hills Transects	3-55

Channel Response to Flows at USGS Gage Locations	3-59
Substrate Movement at Surveyed Cross-Sections	
Flow Modification Impact on Channel Complexity	
Bankfull Channel Capacity	
Cobble Bar Characterization	3-67
Characterization of Bed Material Size in Suspected	
Spawning Bars	3-68
Depth of Open Interstitial Space in Cobble Bars	3-73
Topographic Changes in Cobble Bars	3-73
Cobble Bar Survey Summary	3-76
Cobble Transport Analysis	3-77
Low Velocity Habitat Creation and Maintenance	
Cobble/Sand Bar Monitoring	
Maintenance of Secondary Channel Associated Backwaters	3-83
Channel Morphology Response Summary	3-87
Suspended Sediment Sampling	3-89
Sampling Results	3-89
DISCUSSION	
Historic Analysis of Fluvial Morphology	3-95
Geomorphological Characterization	
River Geometry Analysis	
Cobble Bar Characterization	
Flows to Support Cobble Transport	
Low Velocity Habitat Maintenance - Measurement of Change in Sand/Cob	
Bars	
Suspended Sediment Analysis	
CONCLUSIONS	
History of Fluvial Morphology	
Change in Channel Morphology with Test Flows	
Cobble Bar Characterization	
Low Velocity Habitat Creation and Maintenance	
Suspended Sediment Analysis	. 3-104
CHAPTER 4: HABITAT STUDIES	
INTRODUCTION	
METHODS	
RESULTS	
DISCUSSION	
SUMMARY AND CONCLUSIONS	4-21

CHAPTER 5: PHYSICAL HABITAT DESCRIPTIONS	
INTRODUCTION	
METHODS	
RESULTS	
Mean Water Velocity	
Depth	
Depth to Embeddedness	
Interstitial Sediment	
Particles <0.063 mm	
Particles >12.5 mm	
Discriminant Functions Analysis	
CONCLUSIONS	5-19
CHAPTER 6: MAINSTREAM HABITAT QUALITY	
INTRODUCTION	
METHODS	
Physical Parameters	6-2
Biological Parameters	
RESULTS	
Temporal Variations	
Physical Parameters	
Biological Parameters	
Spatial Variations	
Physical Parameters	
Biological Parameters	
DISCUSSION	
SUMMARY AND CONCLUSIONS	6-24
CHAPTER 7: BACKWATER PRODUCTIVITY	
INTRODUCTION	7- 1
STUDY AREA	
METHODS	
Water depth (m)	7-4
Total Suspended Solids (mg/L)	
Temperature (°C)	7-4
Dissolved oxygen (mg/L)	7-5
Phytoplankton (μg/L)	
Zooplankton (#/m³)	7-5
Periphyton (mg/m²)	
Benthic invertebrates (g/m²)	
Detritus (g/m²)	
Sediment (% dry wt.)	
RESULTS	
Hydrology	7-6

San J	uan River	. 7-6
	ado and Green Rivers	
Backwater C	Quality/Productivity	. 7-8
	r Depth	
	Suspended Solids	
Temp	erature	7-16
	lved Oxygen	
	plankton	
	ankton	
Periph	nyton	7-26
	ic Invertebrates	
Detriti	us	7-36
SUMMARY AND C	ONCLUSIONS	7-45
REFERENCES		
APPENDIX A: C	obble Bar Surface Plots	
Figure A.1.	Surface plots of cobble bar at RM 173.7 (1996-1998)	. A-1
Figure A.2.	April 2, 1996 survey with embeddedness markers	
Figure A.3.	July 8, 1996 survey with embeddedness markers	. A-2
Figure A.4.	August 22, 1997 survey with embeddedness markers	. A-3
Figure A.5.	August 10, 1998 survey with embeddeness markers	. A-3
Figure A.6.	Image shows positive and negative changes between April 2, 19	996
	and July 8, 1996	
Figure A.7.	Image shows positive changes with the zero datum as a grey pl	lanar
	surface	
Figure A.8.	Image shows positive and negative changes between July 8, 19	196
	and August 22, 1997	
Figure A.9.	Image shows positive and negative changes between August 22,	
	and August 10, 1998	
	Surface plots of cobble bar at RM 168.4	
_	April 3, 1996 survey with embeddedness markers	
	July 9, 1996 survey with embeddedness markers	
	August 22, 1997 survey with embeddedness markers	
	July 29, 1998 survey with embeddedness markers	. A-8
Figure A.15.	Areas of Deposition and Scour between April 3, 1996 and	
	July 9, 1996	. A-9
Figure A.16.	Areas of Deposition and Scour between July 9, 1996 and	
	August 22, 1997	. A-9
Figure A.17.	Areas of Deposition and Scour between August 22, 1997 and	
F. A. 4.0	July 29, 1998	A-10
_	Surface plots of cobble bar at RM 132 (1995-1998)	
Figure A.19	March 8, 1995 survey (no embeddedness data taken)	A-12

		July 25, 1995 survey with embeddedness markers	
		March 13, 1996 survey (no embeddedness data taken	
	•	July 10, 1996 survey with embeddedness markers	
	•	August 21, 1997 survey with embeddedness markers	
	•	August 11, 1998 survey with embeddedness markers	A-14
	Figure A.25.	Areas of Deposition and Scour between July 25, 1995 and	
		July 10, 1996	A-15
	Figure A.26.	Areas of Deposition and Scour between July 10, 1996 and	
		August 21, 1997	A-15
	Figure A.27.	Areas of Deposition and Scour between August 21, 1997 and	
		August 11, 1998	A-16
APPE	ENDIX B: Lo	ow velocity Habitat Sand/Cobble Bar Surface Plots	
	Figure B.1.	Location photo of Bar D-4 at RM 86.4	. B-1
	Figure B.2.	Surface plots of D-1 Cobble Bar, August 24, 1994 -	
		October 8, 1996	
	Figure B.3.	Location photo of Bar D-4 at RM 86.4	. B-3
	Figure B.4.	Surface plots of D-4 cobble bar, August 24, 1994 -	
		October 8, 1996	
	Figure B.5.	Location photo of C-2 bar (RM 4)	. B-5
	Figure B.6.	Surface plots of C-2 cobble bar, August 25, 1994 -	
		October 9, 1996	. B-6
APPE		tatistical Tables	
		atistics: All Habitats by Strata	
		atistics: Riffle Habitats by Strata	
		atistics: Run Habitats by Strata	
		atistics: All Habitats by Trip	
		atistics: Riffle Habitats by Trip	
	Summary Sta	atistics: Run Habitats by Trip	C-17

LIST OF TABLES

Table 2.1.	Comparison of storm magnitude and frequency for the Colorado River at Cisco gage, Green River at Green River gage, and San Juan River near
	Bluff gage, 1929-1961
Table 2.2.	Water temperature monitoring locations and period of record 2-5
Table 2.3.	Summary of Navajo Dam release hydrograph characteristics during the
	research period, 1992 to 1998
Table 2.4.	Anticipated and Actual flow conditions achieved in the San Juan River
	below Farmington as a result of designed releases at Navajo Dam 2-8
Table 2.5.	Summary of research flows for the research period, San Juan River at
	Four Corners, New Mexico
Table 2.6.	Summary of research flows for the pre-dam and research periods, San
	Juan River near Bluff, Utah
Table 2.7.	Comparison of hydrograph statistics for pre-dam (1929-1961), post-dam
	(1962-1991) and research period (1992-1998) for the San Juan River near
	Bluff, Utah
Table 3.1.	Aerial photography coverage by river mile used in the historical analysis for
	the periods 1935-1937, 1950-1952, 1959-1962, and 1986-1988 3-5
Table 3.2.	Stream channel contact geology descriptions used in mapping 3-7
Table 3.3.	Vegetation types and codes used in mapping riparian vegetation 3-7
Table 3.4.	Data sets used in channel reach definition analysis
Table 3.5.	Location descriptions of general reaches in San Juan River having
	different characteristics
Table 3.6.	Transect survey locations and summary of completed surveys 3-17
Table 3.7.	Cobble bar sampling locations
Table 3.8.	Sand/cobble bar survey locations and dates
Table 3.9.	Sediment sample locations and number of samples taken each year . 3-25
Table 3.10.	Summary of historic aerial photography analysis of changes in channel
	morphology of the San Juan River from four periods, 1934-35, 1950-52,
	1959-62 and 1986-88
Table 3.11.	Relative abundance of vegetation by type
Table 3.12.	Reach definitions, variables considered and their mean values within reach
	utilized in delivering geomorphologically different reaches 3-38
Table 3.13.	Frequency two-way table categorized by assigned and predicted reaches
	3-40
Table 3.14.	Summary of RT-series transect changes with time
Table 3.15.	Discharge at Four Corners and elevation change data for RT cross-
	sections
Table 3.16	Results of regression analysis of channel change (scour or deposition)
	during runoff at RT cross-sections vs runoff and change during previous
	non-runoff period 3-47

Table 3.17.	Percent cobble substrate for the RT series transects on the San Juan
Table 3.18.	River (1992-1998)
Table 3.10.	Percent cobble substrate for the Mixer series transects on the San Juan
Table 5.15.	River (1993-1998)
Table 3.20.	Summary of debris field series transect changes with time 3-57
Table 3.21.	Percent cobble substrate for the debris field series transects on the San
14510 0.21.	Juan River (1993-1998)
Table 3.22.	Average deposition and scour (total and cobble) at RT and Mixer series
	transects in the San Juan River (1992-1998) as related to hydrographic
	conditions
Table 3.23.	Bankfull discharge from HEC-RAS modeling of four 0.25 mile (mi) reaches
	in the San Juan River between River Mile (RM) 133 and RM 174 3-67
Table 3.24.	Cobble size distribution for potential spawning sites from
	1995 survey
Table 3.25.	Size distribution of interstitial material at selected cobble bars from
	1995 survey
Table 3.26.	Cobble size distribution for two suspected and two potential spawning
	bars in the San Juan River, 1995-1998
Table 3.27.	Summary of cobble, open interstitial space and interstitial material for
	potential spawning bars in the San Juan River surveyed in 1995 3-74
Table 3.28.	Summary of depth of open interstitial space in cobble bars 3-75
Table 3.29.	Summary of changes in three cobble bars in the San Juan River surveyed
	between 1995 and 1998. (needs to be converted to metric) 3-76
Table 3.30.	Boundary shear stress conditions at various flow rates for four
	modeled reaches
Table 3.31.	Flows required to meet critical shear stress conditions for cobble transperts
Table 3.32.	D-1 Bar Survey Summary
Table 3.33.	D-4 Bar Survey Summary
Table 3.34.	CH-2 Bar Survey Summary
Table 3.35.	Sediment concentrations (parts per million (ppm)) used in HEC-6 simulations
Table 3.36.	Summary of HEC-6 modeling results for Montezuma Creek site 3-87
Table 3.30.	Summary of FIEC-6 modeling results for Montezuma Creek site 5-67
Toble 4.1	The Hydrologic Characteristics of Each Manning Dun by Coomership
Table 4.1.	The Hydrologic Characteristics of Each Mapping Run by Geomorphic Reach
Table 4.2.	The Detailed Habitat Types and the Eight General Categories on the San
1 abie 4.2.	Juan River
Table 4.3.	A Comparison of Significant Correlations (P#0.05) Between the Hydrologic
Table 4.5.	Parameters Investigated for Antecedent Conditions Relative to Backwater
	Surface Areas
Table 4.4.	the Coefficient of Determination Expressed as r ² and Their Associated p
	Values for Backwater Habitat Area Normalized to 1000 Cfs Compared to
	Various Antecedent Hydrologic Conditions
	,

Table 5.1.	Mean Water Column Velocity (cm/sec) Statistics for Eight Habitat Types in Section 2 for November, 1994, to September, 1995 5-5
Table 5.2.	Water Depth (m) Statistics for Eight Habitat Types in Section 2 for
Table 5.3.	November, 1994, to September, 1995
Table 5.4	The Results of Discriminant Analysis Performed on Mean Column Velocity, Depth, DTE, and Substrate Larger than >12.5 mm Data Collected from Eight Habitat Types in the San Juan River
Table 5.5	Old and Revised Habitat Definitions for Eight Habitat Types in the San Juan River
Table 6.1	A Summary of the Number of Riffle and Run Habitats Sampled by Date and Geomorphic Reach in the San Juan River 6-2
Table 6.2	Physical and Biological Parameters Collected Within Each Sample Reach for Selected Run and Riffle
Table 6.3	A Summary of the 1994, 1995, and 1996 Runoff Hydrograph and Subsequent Monsoon Periods Prior to Each Sample Date (Data from Four-Corners, NM)
Table 6.4	The comparison between pre- and post-runoff samples for each physical and biological parameter measured in the San Juan River 6-14
Table 7.1	The number of backwaters sampled per geomorphic reach from 1995 through 1997 by dated and numbered sampling period. Mean discharge (Q) during each trip as measured at Four Corners, New Mexico (USGS no. 09371010) is also indicated

LIST OF FIGURES

Figure 1.1. Figure 2.1.	San Juan Basin Location Map San Juan River near Bluff, Utah, average hydrographs for pre-dam, post-dam and 1992-1998 study period
Figure 2.2.	Hydrographs for the San Juan River at Four Corners for 1991 - 1994
Figure 2.3.	Hydrographs for the San Juan River at Four Corners for 1995 - 1998
Figure 2.4.	Frequency distribution of storm-event days for the San Juan River at Farmington, New Mexico and near Bluff, Utah, 1931-1998 2-14
Figure 2.5.	Seven-day running mean daily water temperature for the San Juan River at Archuleta, New Mexico, and at Shiprock, New Mexico during pre-dam, post-dam and research flow periods
Figure 3.1.	San Juan River Gradient
Figure 3.2. Figure 3.3.	San Juan River Transect Locations in the "Mixer" Detail Reach 3-14 San Juan River Transect Locations in the "Debris Field", RM 83 to RM 88
Figure 3.4.	San Juan River Transect Locations, RM 0 to RM 14 3-16
Figure 3.5.	Aerial photograph of the San Juan River between RM 84 and RM86 taken in 1934
Figure 3.6.	Aerial photograph of the San Juan River between RM 84 and RM86 taken in 1952
Figure 3.7.	Aerial photograph of the San Juan River between RM 84 and RM86 taken in 1961
Figure 3.8.	Aerial photograph of the San Juan River between RM 84 and RM86 taken in 1988
Figure 3.9.	Valley Width by River Mile for the San Juan River 3-32
Figure 3.10.	Three-Mile Running Average Channel Contact Geology (cutbank or bedrock) for the San Juan River
Figure 3.11.	Main Channel Riparian Vegetation Area per River Mile for the San Juan River (3 mile running average)
Figure 3.12.	Relative Composition of Riparian Vegetation for the San Juan River (3 mile running average)
Figure 3.13.	Three-Mile Running Average Channel Gradient for the San Juan River.
Figure 3.14.	Three-Mile Running Average Channel Sinuosity for the San Juan River
Figure 3.15.	Distribution of Normalized Key Parameters used in Reach Definition
Figure 3.16.	1992-1998 Relative bed elevation for each of the RT transects on the San Juan River

Figure 3.17.	1992 - 1998 Average relative bed elevation for RT series transects, on the
Figure 2.10	San Juan River
rigure 3. 18.	Predicted vs measured channel change in response to runoff for all RT transects in the San Juan River (1993-1997)
Figure 3 19	Relative bed elevation for all Mixer series transects on the San Juan River
1 19410 0.10.	(1993 - 1998)
Figure 3.20.	Average relative bed elevation for Mixer series transects (M-3 to M-8) on
_	the San Juan River (1993-1998)
Figure 3.21.	
E: 0.00	River (1993 - 1998)
Figure 3.22.	Average relative bed elevation for Debris Field series transects on the Sar
Eiguro 2 22	Juan River (1993-1998)
1 igule 3.23.	Juan River (1993 - 1998)
Figure 3.24.	· · ·
9	Juan River (1993-1998)
Figure 3.25.	Lake Powell water surface elevation (1986-1998)
Figure 3.26.	Mean relative bed elevation at the San Juan River at Farmington gage
	(1942-1996)
Figure 3.27.	Mean relative bed elevation at the San Juan River at Shiprock gage (1943
Figure 2.00	1996)
Figure 3.28. Figure 3.29	Relationship between main channel flow and island count 3-63 Island count in Reaches 3, 4, and 5 at base flow vs. time as a measure of
i iguie 3.29	change in channel complexity
Figure 3.30	Habitat Diversity and Island Count in the San Juan River at flows below
90.0 0.00	1,200 cfs, 1992-1997
Figure 3.31.	· · · · · ·
	samples
Figure 3.32.	· ·
F: 0.00	resulting regression line
Figure 3.33.	Flow and backwater depths for 1997 runoff for the Montezuma Creek and
Figure 3 34	Sand Island sites
	Modeling results with small change in grain size to demonstrate
rigure e.ee.	sensitivity
Figure 3.36.	Suspended sediment vs flow for the San Juan River at Farmington,
J	1992-1998
Figure 3.37.	Suspended sediment vs flow for the San Juan River at Shiprock,
	1992-1998
Figure 3.38.	Suspended sediment vs flow for the San Juan River at Four Corners,
Figure 2.22	1992-1998
Figure 3.39.	Suspended sediment vs flow for the San Juan River at Montezuma Creek,
Figure 3.40	1992-1998
. iguic 0.40.	compared to 1992-1998

Figure 3.41.	Suspended sediment vs flow for the San Juan River at Four Corners, 1992-1998, for non-storm influenced samples
Figure 3.42.	Suspended sediment vs flow for the San Juan River at Montezuma Creek
Figure 3.43.	1992-1998, for non-storm influenced samples
Figure 4.1	The Spatial Distribution of the Seven Major Habitat Types (Excluding "Other") in the San Juan River for Three Flow Regimes 4-5
Figure 4.2	The Spatial Distribution of Seven Habitat Categories in the San Juan River with Expanded Scales to Allow Viewing Minor Categories 4-6
Figure 4.3	The Total Wetted Area vs. Flow Relationships for the Three Combinations of Geomorphic Reaches
Figure 4.4	A Summary of the Major Habitat Categories as a Percent of Total Wetted Area for a High, Medium and Low Flow Period
Figure 4.5	The Comparison Between Habitat Area (M2) and Mapping Flow for the Sum of Reaches 1 Through 6 in the San Juan River for Runs (above) and Inundated Vegetation (below)
Figure 4.6	The Comparison Between Habitat Area (m2) and Mapping Flow for the Sum of Reaches 1 Through 6 in the San Juan River for Shoal Types (above) and Riffles (below)
Figure 4.7	The Comparison Between Habitat Area (m2) and Mapping Flow for the Sum of Reaches 1 Through 6 in the San Juan River for Pools (above) and Eddies (below)
Figure 4.8	The Comparison Between Habitat Area (m2) and Mapping Flow for the Sum of Reaches 1 Through 6 in the San Juan River for Slackwaters
Figure 4.9	The Relationship Between Backwater Surface Area and Flow for Reaches 1 and 2 Based upon Location Within the Channel 4-12
Figure 4.10	The Relationship Between Backwater Surface Area and Flow for Reaches 3, 4, 5 and 6 in the San Juan River
Figure 4.11 Figure 4.12	Flow/backwater Habitat Area Relationships for Reach 3 4-19 Flow/backwater Habitat Model for Reaches 1 to 4 and 1 to 5 Based on Flushed and Nonflushed Conditions
Figure 5.1.	San Juan River Mean Daily Discharge over Study Period as Measured at Four Corners, New Mexico Gaging Station. Vertical Bars Indicate Habitat Sampling Trips.
Figure 5.2	Mean (± 1 SE) Water Velocity for Eight Habitat Types in the San Juan River
Figure 5.3	Mean (± 1 SE) Water Velocity for Eight Habitat Types in the San Juan River by Section During September, 1995
Figure 5.4.	Mean (± 1 SE) Depth for Eight Habitat Types in the San Juan River

Figure 5.5.	Mean (± 1 SE) Depth for Eight Habitat Types in the San Juan River by
Figure 5.6.	Section During September, 1995
Figure 5.7.	Juan River
Figure 5.8.	Juan River by Section During September, 1995 5-10 Mean (± 1 SE) Depth to Embeddeness for Eight Habitat Types in the San Juan River in Section 2 During Four periods from November, 1994 to September, 1995
Figure 5.9.	Mean (± 1 SE) Percentage (100% at 0-1 scale) of Sediment <0.063 mm for Eight Habitat Types in the San Juan River
Figure 5.10.	0
Figure 5.11.	Mean (± 1 SE) Percentage (100% at 0-1 scale) of Sediment <0.063 mm for Riffle, Riffle-run, Run, and Cobble Shoals in the San Juan River in
Figure 5.12.	Section 2
Figure 5.13.	
Figure 5.14.	
Figure 5.15.	
Figure 5.16.	Plot of Primary Functions Derived from Discriminant Functions Analysis for Eight Habitat Types in the San Juan River 5-18
Figure 6.1	The 1994 to 1997 Hydrograph at Four Corners, NM for the San Juan River. Habitat Quality Sample Periods Are Shown as Dark Columns on the Hydrograph
Figure 6.2	The Temporal Distribution of the Substrate D_{50} Values for Each Trip Date for All Habitats Combined (above) and for Each Habitat Type (below) for the San Juan River
Figure 6.3	The Temporal Distribution of the Depth of Embedded Layer (DTE) for Each Trip Date for All Habitats Combined (above) and for Each Habitat Type (below) for the San Juan River 6-8
Figure 6.4	The Temporal Distribution of the Percent Surface Area Embedded (PAE) for Each Trip Date for All Habitats Combined (above) and for Each Habitat Type (below) for the San Juan River 6-9
Figure 6.5	The Temporal Distribution of the Biomass of Periphyton (gms chla/m²) for

Figure 6.6	Each Trip Date for All Habitats Combined (above) and for Each Habitat Type (below) for the San Juan River
Figure 6.7	(below) for the San Juan River
Figure 6.8	Type (below) for the San Juan River
Figure 6.9.	San Juan River
Figure 6.10	Date for All Habitats Combined (above) and for Each Habitat Type (below)
Figure 6.11	for the San Juan River
Figure 6.12	All Habitats Combined (above) and for Each Habitat Type (below) for the
Figure 6.13	San Juan River
Figure 6.14	for the San Juan River
Figure 6.15	reaches, while the Colorado has eleven
Figure 7.1.	at the Four Corners, New Mexico Gauge with the Timing and Numbering
Figure 7.2.	of Backwater Sampling Trips Indicated
Figure 7.3.	Mean Water Depth (±1 SE) in San Juan River Backwaters over the 1995- 97 Period by Sampling Trip
Figure 7.4.	Mean Water Depth (±1 SE) in San Juan River Backwaters over the 1995-

Figure 7.5.	97 Period by Geomorphic Reach
Figure 7.6.	over the 1996-97 Period for Sampling Trips 5 Through 12 7-12 Mean Water Depth (±1 SE) in San Juan, Colorado, and Green River Backwaters over the April to October 1997 Period for Sampling Trips 9
Figure 7.7.	through 12
Figure 7.8.	The Relationship Between Discharge and Total Suspended Solids in San Juan River Backwaters over the 1995-97 Period for Trips 1 through 12
Figure 7.9.	Mean Total Suspended Solids (±1 SE) in San Juan River Backwaters over the 1995-97 Period by Geomorphic Reach
Figure 7.10.	Mean Total Suspended Solids (±1 SE) in San Juan and Colorado River Backwaters over the 1996-97 Period for Sampling Trips 5 through 11
Figure 7.11.	Mean Total Suspended Solids (±1 SE) in San Juan and Colorado River Backwaters over the 1996-97 Period by Sampling Trip 7-16
Figure 7.12.	Mean Temperature (±1 SE) in San Juan River Backwaters over the 1995- 97 Period by Sampling Trip
Figure 7.13.	Mean Temperature (±1 SE) in San Juan River Backwaters over the 1995-
Figure 7.14.	97 Period by Geomorphic Reach
Figure 7.15.	Backwaters over the April to October 1997 Period for Sampling Trips 9
Figure 7.16.	through 12
Figure 7.17.	Mean Dissolved Oxygen (±1 SE) in San Juan and Colorado River Backwaters over the 1996-97 Period by Sampling Trip 7-20
Figure 7.18.	
Figure 7.19.	
Figure 7.20.	Mean Phytoplankton Biomass (±1 SE) in San Juan River Backwater at Rm 153 in Reach 5 by Sampling Trip
Figure 7.21.	Mean Phytoplankton Biomass (±1 SE) in San Juan River Backwaters over
Figure 7.22.	Backwaters over the 1996-97 Period for Sampling Trips 5 through 12
Figure 7.24.	Mean Phytoplankton Biomass (±1 SE) in San Juan, Colorado, and Green
	River Backwaters over the April to October 1997 Period for Sampling Trips

	9 through 12
Figure 7.23.	
	Backwaters over the 1996-97 Period by Sampling Trip 7-24
Figure 7.25.	Mean Zooplankton Biomass (±1 SE) in San Juan River Backwaters over
	the 1995-97 Period by Sampling Trip 7-25
Figure 7.27.	Mean Zooplankton Biomass (±1 SE) in San Juan River Backwaters During
	Trip 1 in August, 1995 by Geomorphic Reach
Figure 7.26.	Mean Zooplankton Biomass (±1 SE) in San Juan River Backwaters over
	the 1995-97 Period by Geomorphic Reach
Figure 7.28.	Mean Zooplankton Biomass (±1 SE) in San Juan River Backwaters During
	Trip 2 in September, 1995 by Geomorphic Reach
Figure 7.29.	Mean Zooplankton Biomass (±1 SE) in San Juan and Colorado River
	Backwaters over the 1996-97 Period for Sampling Trips 5 Through 11
	7-28
Figure 7.30.	·
	Backwaters over the 1996-97 Period by Sampling Trip 7-29
Figure 7.31.	Mean Zooplankton Biomass (±1 SE) in San Juan, Colorado, and Green
	River Backwaters over the April to October 1997 Period for Sampling Trips
= = = = = = = = = = = = = = = = = = = =	9 through 12
Figure 7.32.	Mean Periphyton Biomass (±1 SE) in San Juan River Backwaters over the
	1995-97 Period by Sampling Trip
Figure 7.33.	, ,
	Trip 1 in August, 1995 by Geomorphic Reach
Figure 7.34.	Mean Periphyton Biomass (±1 SE) in San Juan River Backwaters During
E: 7.05	Trip 4 in April, 1996 by Geomorphic Reach
Figure 7.35.	Mean Periphyton Biomass (±1 SE) in San Juan and Colorado River
	Backwaters over the 1996-97 Period for Sampling Trips 5 Through 12
Figure 7.00	Man Barish tan Biaman (14 SE) in San Juan and Calarada Biam
Figure 7.36.	· ·
F: 7.07	Backwaters over the 1996-97 Period by Sampling Trip
Figure 7.37.	Mean Periphyton Biomass (±1SE) in San Juan, Colorado, and Green River
	backwaters over the April- October 1997 Period for Sampling Trips 9
Eiguro 7 20	through 12
rigule 7.36.	,
Eiguro 7 20	Backwaters over the 1995-97 Period by Sampling Trip
rigule 7.39.	Mean Benthic Invertebrate Biomass (±1 SE) in San Juan River
Figure 7.40.	Backwaters During Trips 1 through 4 by Geomorphic Reach 7-35 Mean Benthic Invertebrate Biomass (±1 SE) in San Juan River
rigule 7.40.	,
	Backwaters During Trip 7 in December, 1996 by Geomorphic Reach
Figure 7.41	Mean Benthic Invertebrate Biomass (±1 SE) in San Juan River
1 19u1 6 / .41.	Backwaters over the 1995-97 Period by Geomorphic Reach 7-37
Figure 7.43	Mean Benthic Invertebrate Biomass (±1 SE) in San Juan and Colorado
1 iguic 7. 4 3.	River Backwaters over the 1996-97 Period by Sampling Trip 7-38
Figure 7.42	Mean Benthic Invertebrate Biomass (±1 SE) in San Juan and Colorado
1 iguic 1.42.	modif Dentino invertebrate Diomass (±1 OL) in San Suan and Colorado

	River Backwaters over the 1996-97 Period for Sampling Trips 5 Through 12
Figure 7.44.	Mean Benthic Invertebrate Biomass (±1 SE) in San Juan, Colorado, and Green River Backwaters over the April to October 1997 Period for
Eiguro 7.45	Sampling Trips 9 through 12
Figure 7.45.	1995-97 Period by Sampling Trip
Figure 7.46.	Mean Detrital Biomass (±1 SE) in San Juan River Backwaters over the
	1995-97 Period by Geomorphic Reach
Figure 7.47.	Mean Detrital Biomass (±1 SE) in San Juan and Colorado River
	Backwaters over the 1996-97 Period for Sampling Trips 5 through 12
	7-40
Figure 7.48.	Mean Detrital Biomass (±1 SE) in San Juan and Colorado River
	Backwaters over the 1996-97 Period by Sampling Trip 7-41
Figure 7.49.	Mean Detrital Biomass (±1 SE) in San Juan, Colorado, and Green River
	Backwaters over the April to October 1997 Period for Sampling Trips 9
	through 12
Figure 7.50.	Mean Percentage (±1 SE) Dry Weight of Sediment <0.063 mm in San
	Juan River Backwaters over the 1995-97 Period by Trip 7-43
Figure 7.51.	Mean Percentage (±1 SE) Dry Weight of Sediment <0.063 mm in San
	Juan River Backwaters over the Period of August, 1995 to July, 1996
	During Trips 1 through 5 by Geomorphic Reach